



DESCRIEREA PRODUSULUI

Se folosește pentru trecerea de la un diametru la altul.
Se execută din tablă de oțel zincată cu garnituri (EPDM) la ambele capete.

MODEL COMANDĂ

RCL 600 355

Cod produs _____

Dimensiune Ød1 _____

Dimensiune Ød2 _____

DIMENSIUNI

Ød1 (nom)	Ød2 (nom)	L (mm)	M (kg)
125	100	50	0.28
150	100	50	0.33
	125	50	0.34
160	100	50	0.36
	125	50	0.36
	150	50	0.37
180	100	50	0.41

Ød1 (nom)	Ød2 (nom)	L (mm)	M (kg)
180	125	50	0.41
	150	50	0.41
	160	50	0.41
200	100	50	0.46
	125	50	0.47
	150	50	0.47
	160	50	0.47



DIMENSIUNI

Ød1 (nom)	Ød2 (nom)	L (mm)	M (kg)
	180	50	0.46
250	100	50	0.69
	125	50	0.70
	150	50	0.70
	160	50	0.70
	180	50	0.70
	200	50	0.69
300	125	50	0.88
	150	50	0.88
	160	50	0.88
	180	50	0.88
	200	50	0.87
	250	50	0.93
315	125	50	0.94
	150	50	0.94
	160	50	0.94
	180	50	0.94
	200	50	0.93
	250	50	0.99
	300	50	0.96
355	160	50	1.10
	180	50	1.10
	200	50	1.09
	250	50	1.16
355	300	50	1.13
	315	50	1.11
400	160	50	1.39
	180	50	1.39
	200	50	1.38
	250	50	1.44
	300	50	1.41
	315	50	1.40
	355	50	1.36
450	200	50	1.63

Ød1 (nom)	Ød2 (nom)	L (mm)	M (kg)
450	250	50	1.69
	300	50	1.66
	315	50	1.65
	355	50	1.60
	400	50	1.63
500	200	50	1.89
	250	50	1.96
	300	50	1.93
	315	50	1.91
	355	50	1.87
	400	50	1.90
	450	50	1.82
560	250	50	2.30
	300	50	2.27
	315	50	2.26
	355	50	2.22
	400	50	2.24
	450	50	2.17
	500	50	2.07
600	250	50	2.55
	300	50	2.52
	315	50	2.51
	355	50	2.46
	400	50	2.49
	450	50	2.41
	500	50	2.32
	560	50	2.18
630	250	50	2.74
	300	50	2.71
	315	50	2.70
	355	50	2.66
	400	50	2.68
	450	50	2.61
	500	50	2.51



DIMENSIUNI

Ød1 (nom)	Ød2 (nom)	L (mm)	M (kg)
630	560	50	2.37
	600	50	2.27
710	355	50	4.84
	400	50	4.82
	450	50	4.70
	500	50	4.54
	560	50	4.32
800	600	50	4.16
	630	50	4.02
	400	50	5.81
	450	50	5.68
	500	50	5.53
900	560	50	5.31
	600	50	5.15
	630	50	5.01
	710	50	5.76
900	450	50	6.88
	500	50	6.73

Ød1 (nom)	Ød2 (nom)	L (mm)	M (kg)
1000	560	50	6.51
	600	50	6.34
	630	50	6.21
1000	710	50	6.95
	800	50	6.57
	500	50	9.43
	560	50	9.13
	600	50	8.91
1250	630	50	8.73
	710	50	9.34
	800	50	8.78
	900	50	8.04
	600	50	13.41
1250	630	50	13.23
	710	50	13.84
	800	50	13.28
	900	50	12.54
1000	50	12.12	